









SPOT COVERABLE




	EAN	W	lm	lm/W	K	Temp ^{amb} (°C)	V~	mA	Hz	DF	▽ (°)	
SP CBO FIX V 5.5W CPS 60DEG IP65 WT	4099854092701	3.6	350	97	2700	-20...+40	220-240	31 @ 3.6W 43 @ 5.5W	50/60	>0.7	60	20000
		5.5	550	100								
		3.6	380	105	3000							
		5.5	580	105								
		3.6	400	111	4000							
		5.5	600	109								
SP CBO ADJ V 5.5W CPS 60DEG IP65 WT	4099854092725	3.6	350	97	2700	-20...+40	220-240	31 @ 3.6W 43 @ 5.5W	50/60	>0.7	60	20000
		5.5	550	100								
		3.6	380	105	3000							
		5.5	580	105								
		3.6	400	111	4000							
		5.5	600	109								




5







6



7









SPOT COVERABLE




EAN	EAN		Color		Height	Length	Diameter
SPOT COVERABLE FIX 	4099854098406	SP COV RING FIX ROUND BK	BLACK		-	-	81.5
	4099854098437	SP COV RING FIX ROUND BN	BRUSHED NICKEL		-	-	81.5
	4099854099274	SP COV RING FIX SQUARE BN	BRUSHED NICKEL		81.5	81.5	-
	4099854099304	SP COV RING FIX SQUARE WT	WHITE		81.5	81.5	-
	4099854099335	SP COV RING FIX SQUARE BK	BLACK		81.5	81.5	-
SPOT COVERABLE ADJUSTABLE 	4099854097911	SP COV RING ADJ ROUND BK	BLACK		-	-	81.5
	4099854097935	SP COV RING ADJ ROUND BN	BRUSHED NICKEL		-	-	81.5
	4099854097959	SP COV RING ADJ SQUARE BN	BRUSHED NICKEL		81.5	81.5	-
	4099854097973	SP COV RING ADJ SQUARE WT	WHITE		81.5	81.5	-
	4099854097997	SP COV RING ADJ SQUARE BK	BRUSHED NICKEL		81.5	81.5	-





	EAN	n	LED	QR code	ENERGY * X =
SP CBO FIX V 5.5W CPS 60DEG IP65 WT	4099854092701	1	AC50676		E
SP CBO ADJ V 5.5W CPS 60DEG IP65 WT	4099854092725	1	AC50677		E



FR
Cet appareil se recycle

À DÉPOSER EN MAGASIN

OU

À DÉPOSER EN DÉCHÈTERIE

Points de collecte sur www.quefairedemesdechets.fr

C10567405
G11163183
26.04.2023



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com