



# Reduktion, centrisk


## RCFLU



### Beskrivelse

RCFLU er en lang, centrisk reduktion, håndbygget med ca. 18° vinkel og med muffemål i Ød enden.

### Dimensioner



| Ød<br>nom | Ød <sub>2</sub><br>nom | l<br>mm | m<br>kg |
|-----------|------------------------|---------|---------|
| 80        | 63                     | 98      | 0,14    |
| 100       | 63                     | 126     | 0,20    |
| 100       | 80                     | 103     | 0,18    |
| 125       | 63                     | 159     | 0,28    |
| 125       | 80                     | 137     | 0,26    |
| 125       | 100                    | 109     | 0,24    |
| 160       | 63                     | 171     | 0,36    |
| 160       | 80                     | 207     | 0,43    |
| 160       | 100                    | 157     | 0,40    |
| 160       | 125                    | 123     | 0,36    |
| 200       | 80                     | 212     | 0,51    |
| 200       | 100                    | 213     | 0,59    |
| 200       | 125                    | 178     | 0,55    |
| 200       | 160                    | 130     | 0,50    |
| 250       | 100                    | 301     | 0,94    |
| 250       | 125                    | 267     | 0,90    |
| 250       | 160                    | 219     | 0,87    |
| 250       | 200                    | 164     | 0,75    |
| 315       | 125                    | 356     | 1,36    |
| 315       | 160                    | 308     | 1,31    |
| 315       | 200                    | 253     | 1,21    |
| 315       | 250                    | 184     | 1,09    |
| 355       | 160                    | 363     | 1,84    |
| 355       | 200                    | 308     | 1,71    |
| 355       | 250                    | 239     | 1,56    |
| 355       | 315                    | 150     | 1,21    |
| 400       | 160                    | 450     | 2,44    |
| 400       | 200                    | 395     | 2,31    |
| 400       | 250                    | 326     | 2,20    |
| 400       | 315                    | 237     | 1,86    |
| 400       | 355                    | 182     | 1,55    |
| 450       | 200                    | 463     | 2,99    |
| 450       | 250                    | 395     | 2,85    |
| 450       | 315                    | 306     | 2,50    |
| 450       | 355                    | 251     | 2,24    |
| 450       | 400                    | 194     | 2,64    |

### Bestilling

|                           |       |     |     |
|---------------------------|-------|-----|-----|
|                           | RCFLU | 250 | 160 |
| Produkt                   |       |     |     |
| Dimension Ød              |       |     |     |
| Dimension Ød <sub>2</sub> |       |     |     |



# Reduktion, centrisk

## RCFLU

| Ød<br>nom | Ød <sub>2</sub><br>nom | l<br>mm | m<br>kg |
|-----------|------------------------|---------|---------|
| 500       | 200                    | 532     | 3,66    |
| 500       | 250                    | 463     | 3,51    |
| 500       | 315                    | 374     | 3,16    |
| 500       | 355                    | 319     | 2,89    |
| 500       | 400                    | 262     | 2,69    |
| 500       | 450                    | 194     | 2,37    |
| 560       | 250                    | 546     | 4,47    |
| 560       | 315                    | 456     | 4,11    |
| 560       | 355                    | 402     | 3,85    |
| 560       | 400                    | 345     | 3,66    |
| 560       | 450                    | 276     | 2,70    |
| 560       | 500                    | 207     | 2,86    |
| 630       | 250                    | 642     | 5,60    |
| 630       | 315                    | 553     | 5,25    |
| 630       | 355                    | 498     | 4,99    |
| 630       | 400                    | 441     | 4,79    |
| 630       | 450                    | 372     | 4,46    |
| 630       | 500                    | 304     | 4,00    |
| 630       | 560                    | 221     | 3,43    |
| 710       | 355                    | 633     | 7,11    |
| 710       | 400                    | 576     | 6,92    |
| 710       | 450                    | 507     | 6,60    |
| 710       | 500                    | 438     | 6,12    |
| 710       | 560                    | 356     | 5,57    |
| 710       | 630                    | 260     | 4,72    |
| 800       | 400                    | 699     | 8,81    |
| 800       | 450                    | 631     | 8,49    |
| 800       | 500                    | 562     | 8,02    |
| 800       | 560                    | 480     | 7,46    |
| 800       | 630                    | 384     | 6,62    |
| 800       | 710                    | 279     | 6,21    |
| 1000      | 500                    | 857     | 13,1    |
| 1000      | 560                    | 774     | 12,5    |
| 1000      | 630                    | 678     | 11,7    |
| 1000      | 710                    | 573     | 11,2    |
| 1000      | 800                    | 450     | 9,91    |
| 1250      | 630                    | 1063    | 20,1    |
| 1250      | 710                    | 1022    | 19,7    |
| 1250      | 800                    | 917     | 19,3    |
| 1250      | 1000                   | 518     | 14,4    |





# Reduktion, centrisk



# RCFLU

## Tekniske data

### 1 dimensionstrin



### 2 dimensionstrin



### 3 dimensionstrin

