



LOWBAY FLEX P




	EAN	l x w x h [mm]	W	VAC	Hz	lm	lm/W	K
LB FLEX 1200 P 42W 840 W	4058075676060	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 42W 840 VW	4058075676084	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 73W 840 W	4058075676107	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 P 73W 840 VW	4058075676121	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 42W 840 W	4058075676145	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 73W 840 W	4058075676206	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1500 P 105W 840 N	4058075676244	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 105W 840 W	4058075676268	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 105W 840 VW	4058075676282	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 N	4058075676305	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 W	4058075676329	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000





	EAN	IP	IK	▽	R _a	° (°C)	PF	👤
LB FLEX 1200 P 42W 840 W	4058075676060	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 VW	4058075676084	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 W	4058075676107	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 VW	4058075676121	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 DALI P 42W 840 W	4058075676145	23	08	90	≥ 80	-25...+50	≥ 0.9	3.50 kg
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	23	08	120	≥ 80	-25...+50	≥ 0.9	3.50 kg
LB FLEX 1200 DALI P 73W 840 W	4058075676206	23	08	90	≥ 80	-25...+50	≥ 0.9	3.50 kg
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	23	08	120	≥ 80	-25...+50	≥ 0.9	3.50 kg
LB FLEX 1500 P 105W 840 N	4058075676244	23	08	60	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 W	4058075676268	23	08	90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 VW	4058075676282	23	08	120	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 DALI P 105W 840 N	4058075676305	23	08	60	≥ 80	-25...+50	≥ 0.9	4.20 kg
LB FLEX 1500 DALI P 105W 840 W	4058075676329	23	08	90	≥ 80	-25...+50	≥ 0.9	4.20 kg
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	23	08	120	≥ 80	-25...+50	≥ 0.9	4.20 kg

LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P




LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P







LOWBAY FLEX SUSPENSION KIT
EAN 4058075693722









LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P









LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P






1x	2x	3x	...	nx
LOWBAY FLEX / LOWBAY FLEX DALI	LOWBAY FLEX / LOWBAY FLEX DALI	LOWBAY FLEX / LOWBAY FLEX DALI		LOWBAY FLEX / LOWBAY FLEX DALI
				
n				
				B16
				C10
				C16
LOWBAY FLEX 1200 P 42				12
LOWBAY FLEX 1200 DALI P 42				9
LOWBAY FLEX 1200 P 73				11
LOWBAY FLEX 1200 DALI P 73				9
LOWBAY FLEX 1500 P				14
LOWBAY FLEX 1500 DALI P				9







4a: LOWBAY FLEX P





4b: LOWBAY FLEX DALI P



5



6



C10449058
G11128012
02.12.21



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com

© LEDVANCE Ltd, Aquila House
Delta Crescent, Westbrook, Warrington
WA5 7NR, United Kingdom