

LEDDim Smart Color Controller



24V DC, Max 150W, -20°C to 35°C,

Operating frequency: 2400-2483,5MHz, maximum radio frequency output power <10dbm

NO: Kan kun installeres og vedlikeholdes av en registrert installasjonsvirksomhet.

DK: Må kun installeres og vedlikeholdes af uddannet elektriker.

SE: Skall installeras och underhållas av behörig elektriker.

EN: Only to be installed and maintained by an authorized electrician.

FR: Doit être installé et maintenu par un électricien qualifié.

NL: Mag alleen geïnstalleerd en onderhouden worden door een bevoegde elektricien.

DE: Dieses Produkt darf nur durch autorisiertes Personal (z.B. Elektro-Installateur) angeschlossen, in Betrieb genommen und gewartet werden.

FI: Asentaa ja huolttaa saa vain valtuutettu sähköasentaja

NO: Skru av strømmen før montering.

DK: Sluk for strømmen inden montering.

SE: Stäng av strömmen innan montering.



EN: Turn off power before installing.

FR: Couper le courant avant l'installation.


NL: Stroom uitschakelen voor u het toestel installeert.

DE: Vor Installationsarbeiten den Strom abschalten.


FI: Sammuta virta ennen kytkemistä




RGBW



RGB



TW



NORWAY

SG Armaturen AS

Skytterheia 25
N-4790 Lillesand

Tel: +47 37 50 03 00
firmapost@sg-as.no
www.sg-as.no

SWEDEN

SG Armaturen AB

Tel: +46 31 81 71 10
info@sg-ab.se
www.sg-ab.se

FINLAND

SG Armaturen Oy

Tel: +358 02 07 30 39 60
info@sg-oy.fi
www.sg-oy.fi

DENMARK

SG Armaturen A/S

Tel: +45 70 70 72 13
info@sg-as.dk
www.sg-as.dk

UNITED KINGDOM

SG Lighting LTD

Tel: +47 37 50 03 00
info@sglighting.co.uk
www.sglighting.co.uk

FRANCE

SG Lighting SA/NV

Tel: +33(0) 4 94 93 00 00
info.france@sglighting.fr
www.sglighting.net

BENELUX

SG Lighting SA/NV

Tel: +32(0) 15 20 72 71
info.benelux@sglighting.net
www.sglighting.net

GERMANY

SG Leuchten GmbH

Tel: +49 40 23 99 44 59
info@sg-leuchten.de
www.sg-leuchten.de


INTERNATIONAL

SG Lighting Co Ltd.


Tel: +86 769 88 49 20 88
cindy@sgdgc.com
www.sg-as.com

Rev: 10.08.2023

Pairing with app




Match with RF RGBW Remote Control*




*Compatible RF Remote Control

Mode	RGB	RGBW	TW
1 RF RGB Remote Control	✓	✗	✗
2 RF RGBW Remote Control	✗	✓	✗




Delete



Push function (optional)


RGB/RGBW



		
 0-1s 		
 >1s 		

Push function (optional)

TW



	
 0-1s 	
 >1s 	
 2x 	

