



Produktdetaljer

SV/S 30.640.3.1

ABB KNX strømforsyning, 640mA, MDRC, indbygget drosselspole, statusindikering via lysdiodedisplay, 90x72x64,5mm



Generel information	
Udvidet produkttype:	SV/S 30.640.3.1
Produkt ID:	2CDG110167R0011
EAN:	4016779906210
Katalogbeskrivelse:	ABB KNX strømforsyning, 640mA, MDRC, indbygget drosselspole, statusindikering via lysdiodedisplay, 90x72x64,5mm
Lang beskrivelse:	ABB KNX strømforsyning, 640mA, MDRC, indbygget drosselspole, statusindikering via lysdiodedisplay, 90x72x64,5mm
Display Name:	SV/S 30.640.3.1

Installation	
Instruktioner og manualer:	2CDG941137P0003
Ledningsdiagram:	9AKK108464A0291
Monteringstype:	DIN-Rail

Miljødata

Beskyttelsesgrad:	IP20
-------------------	------

Tekniske data

Datablad, teknisk information:	2CDC501067D0201
--------------------------------	-----------------

Antal output:	2
---------------	---

Antal lysdioder:	1
------------------	---

Antal integrerede drosselspoler:	1
----------------------------------	---

Antal aktive linjer ud:	2
-------------------------	---

Kompatible bussystemer:	KNX (TP)
-------------------------	----------

Produktsortiment:	KNX
-------------------	-----

Manuel betjening:	Nej
-------------------	-----

Antal batterier:	0
------------------	---

Elektriske data

Spændingsområde:	110 ... 230 V AC
------------------	------------------

Udgangsspænding (U_{out}):	30 V DC
--------------------------------	---------

Bufferspænding:	Nej
-----------------	-----

Maksimum udgangsstrøm (I_{out}):	0.64 A
--------------------------------------	--------

Tabseffekt:	9 W Total 9 W
-------------	------------------

Design

Farve:	light grey
--------	------------

Dimensioner

Bredde i antal DIN-moduler:	4
-----------------------------	---

Produktets nettobredde:	72 mm
-------------------------	-------

Produktets nettohøjde:	90 mm
------------------------	-------

Produktets nettodybde/længde:	64.5 mm
-------------------------------	---------

Produktets nettovægt:	0.26 kg
-----------------------	---------

Målskitse:	2CDC072033F0015
------------	-----------------

Engineering

EPLAN Data: 9AAC189144_EPLAN

Bestilling

E-nummer (Finland):	2815463
E-nummer (Norge):	4544377
E-nummer (Sverige):	1738579
E-nummer (Schweiz):	405800615

Material Compliance

RoHS-oplysninger:	9AKK108472A2583
RoHS Status:	Overholder EU direktiv 2011/65/EU og tilføjelse 2015/863 July 22, 2019
REACH-erklæring:	9AKK108471A7754
REACH Information:	True - contains substances > 0.1 mass percentage
REACH Date:	20260312
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
SCIP:	7eb1ef14-03c3-4a55-a1ba-d2fe0ceac19b Tyskland (DE)
WEEE-kategori:	5. Småt udstyr (ingen ydre dimension over 50 cm)
WEEE B2C / B2B:	Business To Consumer

Certifikater og deklarationer

Overensstemmelseserklæring - CE:	2CDK501055D2701
KNX Certificate:	9AKK105710A0114
Cyber Security Software Support Period:	2 year
EU Data Act Applicability and Compliance:	Not Applicable

Eksterne klassifikationer og standarder

ETIM 9:	EC000675 - Power supply for bus system
ETIM 10:	EC000675 - Power supply for bus system
eClass:	V11.0 : 27143114
UNSPSC:	39121004
IDEA Granular Category Code (IGCC):	4127 >> Power supply units
Objektklassifikationskode:	A

Kategorier

Produkter > Lavspændingsmateriel > Building and Home Automation Solutions > KNX > Power Supply > KNX Power Supplies

